

## Literature Resorb-X

- 1) W. Heidemann, J.H. Fischer, J. Koebeke, K. L. Gerlach  
In-vivo Untersuchung zur Degradation von Poly-(D,L-)Laktid- und Poly-(L-Laktid-co-Glykolid) Osteosynthesematerial  
Mund Kiefer Gesichtschir 5, 2003, S. 283-288
- 2) W. Heidemann, K. L. Gerlach  
Anwendung eines resorbierbaren Osteosynthesystems aus Poly-(D,L-)Laktid in der Mund-, Kiefer- und Gesichtschirurgie  
Deutsche Zahnärztliche Zeitschrift 57 (2002), S. 50-53
- 3) Humberto L. Acosta, Eric J. Stelnicki, Luis Rodriguez, Lisa A. Slingbaum  
Use of absorbable PDLLA plates in cranial vault remodelling. Presentation of the first case and lessons learned about its use  
Paper presented at the Florida Cleft Palate-Craniofacial Association, Winter Symposium in Orlando, Florida, January 17-19, 2003
- 4) Mario J. Imola, David D. Hamlar, Weiru Shao, Khalid Chowdhury, Sherard Tatum  
Resorbable Plate Fixation in Pediatric Craniofacial Surgery  
Arch Facial Plast. Surg. / Vol. 3, Apr.-June 2001, p. 79
- 5) J. Hoffmann, C. Adam, D. Troitzsch, S. Reinert  
Bioresorbable Fixation in Craniomaxillofacial Surgery, Poster
- 6) W. Heidemann, S. Jeschkeit, K. Ruffieux, J. H. Fischer, M. Wagner, G. Krueger, E. Wintermantel, K.L. Gerlach  
Degradation of poly (D, L) lactide implants with or without addition of calcium phosphates in vivo  
Biomaterials 22 (2001), p. 2371-2381
- 7) W. Heidemann, S. Jeschkeit-Schubbert, K. Ruffieux, J. H. Fischer, H. Jung, G. Krueger, E. Wintermantel, K.L. Gerlach  
pH-stabilization of predegraded PDLLA by an admixture of water-soluble sodium hydrogenphosphate-results of an in vitro- and in vivo-study  
Biomaterials 23 (2002), P. 3567-3574
- 8) R. Suuronen, I. Kallela, C. Lindqvist  
Bioabsorbable Plates and Screws: Current State of the Art in Facial Fracture Repair  
The Journal of Cranio-Maxillofacial Trauma 2000; 6 (1): p. 19-27